

LED Linear U2

Features



30000
hrs+

5yrs
Care Free



Flicker Free



90
lm/W

High Efficiency



Linkable

Application



Office



Super market



Shopping Mall



Hall

Specification

| Item Code | Item Description | Power (W) | Power Factor | CCT (K) | Lumen (lm) | Efficacy (lm/W) | Beam Angle (°) | Lifetime (L70B50) | MOQ (pcs) |
|--------------|------------------------------------|-----------|--------------|---------|------------|-----------------|----------------|-------------------|-----------|
| 529000030000 | LEDLinear-U 2- L1200W60-26W-840-W | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029900 | LEDLinearU 2- L1200W60-26W-857-W | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029800 | LEDLinear-U 2- L1200W60-26W-840-B | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029700 | LEDLinear-U 2- L1200W60-26W-857-B | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029600 | LEDLinear-U 2- L1200W80-26W-840-W | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029500 | LEDLinear-U 2- L1200W80-26W-857-W | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029400 | LEDLinear-U 2- L1200W80-26W-840-B | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029300 | LEDLinear-U 2- L1200W80-26W-857-B | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029200 | LEDLinear-U 2- L1200W100-26W-840-W | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029100 | LEDLinear-U 2- L1200W100-26W-857-W | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000029000 | LEDLinear-U 2- L1200W100-26W-840-B | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000028900 | LEDLinear-U 2- L1200W100-26W-857-B | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529000044500 | LEDLinear-U 2- L1200W100-35W-840-W | 35 | 0.9 | 4000 | 2800 | 80 | 110° | 30000 | 1000 |
| 529000044400 | LEDLinear-U 2- L1200W100-35W-857-W | 35 | 0.9 | 5700 | 2800 | 80 | 110° | 30000 | 1000 |
| 529000044200 | LEDLinear-U 2- L1200W100-35W-857-B | 35 | 0.9 | 4000 | 2800 | 80 | 110° | 30000 | 1000 |
| 529000044300 | LEDLinear-U 2- L1200W100-35W-840-B | 35 | 0.9 | 5700 | 2800 | 80 | 110° | 30000 | 1000 |
| 529000028800 | LEDLinear-U 2- L1200W120-35W-840-W | 35 | 0.9 | 4000 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000028700 | LEDLinear-U 2- L1200W120-35W-857-W | 35 | 0.9 | 5700 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000028600 | LEDLinear-U 2- L1200W120-35W-840-B | 35 | 0.9 | 4000 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000028500 | LEDLinear-U 2- L1200W120-35W-857-B | 35 | 0.9 | 5700 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000028400 | LEDLinear-U 2- L1200W150-35W-840-W | 35 | 0.9 | 4000 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000028300 | LEDLinear-U 2- L1200W150-35W-857-W | 35 | 0.9 | 5700 | 3150 | 90 | 110° | 30000 | 1000 |

| Item Code | Item Description | Power (W) | Power Factor | CCT (K) | Lumen (lm) | Efficacy (lm/W) | Beam Angle (°) | Lifetime (L70B50) | MOQ (pcs) |
|--------------|--|-----------|--------------|---------|------------|-----------------|----------------|-------------------|-----------|
| 529000028200 | LEDLinear-U 2- L1200W150-35W-840-B | 35 | 0.9 | 4000 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000028100 | LEDLinear-U 2- L1200W150-35W-857-B | 35 | 0.9 | 5700 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000028000 | LEDLinear-U 2- L1200W200-35W-840-W | 35 | 0.9 | 4000 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000027900 | LEDLinear-U 2- L1200W200-35W-857-W | 35 | 0.9 | 5700 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000027800 | LEDLinear-U 2- L1200W200-35W-840-B | 35 | 0.9 | 4000 | 3150 | 90 | 110° | 30000 | 1000 |
| 529000027700 | LEDLinear-U 2- L1200W200-35W-857-B | 35 | 0.9 | 5700 | 3150 | 90 | 110° | 30000 | 1000 |
| 529002033700 | LEDLinear-U 2-L600W60-13W-840-W-Re-CONN2 | 13 | 0.9 | 4000 | 950 | 73 | 110° | 30000 | 1000 |
| 529002033600 | LEDLinear-U 2-L600W60-13W-857-W-Re-CONN2 | 13 | 0.9 | 5700 | 950 | 73 | 110° | 30000 | 1000 |
| 529002033900 | LEDLinear-U 2-L1200W60-26W-840-W-Re-CONN2 | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529002033800 | LEDLinear-U 2-L1200W60-26W-857-W-Re-CONN2 | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529002033300 | LEDLinear-U 2-L600W90-13W-840-W-Re-CONN2 | 13 | 0.9 | 4000 | 950 | 73 | 110° | 30000 | 1000 |
| 529002033100 | LEDLinear-U 2-L600W90-13W-857-W-Re-CONN2 | 13 | 0.9 | 5700 | 950 | 73 | 110° | 30000 | 1000 |
| 529002033500 | LEDLinear-U 2-L1200W90-26W-840-W-Re-CONN2 | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529002033400 | LEDLinear-U 2-L1200W90-26W-857-W-Re-CONN2 | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529002032900 | LEDLinear-U 2-L600W150-18W-840-W-Re-CONN2 | 18 | 0.9 | 4000 | 1575 | 90 | 110° | 30000 | 1000 |
| 529002032800 | LEDLinear-U 2-L600W150-18W-857-W-Re-CONN2 | 18 | 0.9 | 5700 | 1575 | 90 | 110° | 30000 | 1000 |
| 529002033200 | LEDLinear-U 2-L1200W150-35W-840-W-Re-CONN2 | 35 | 0.9 | 4000 | 3150 | 90 | 110° | 30000 | 1000 |
| 529002033000 | LEDLinear-U 2-L1200W150-35W-857-W-Re-CONN2 | 35 | 0.9 | 5700 | 3150 | 90 | 110° | 30000 | 1000 |
| 529002032500 | LEDLinear-U 2-L600W60-13W-840-W-Re | 13 | 0.9 | 4000 | 950 | 73 | 110° | 30000 | 1000 |
| 529002032400 | LEDLinear-U 2-L600W60-13W-857-W-Re | 13 | 0.9 | 5700 | 950 | 73 | 110° | 30000 | 1000 |
| 529002032700 | LEDLinear-U 2-L1200W60-26W-840-W-Re | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529002032600 | LEDLinear-U 2-L1200W60-26W-857-W-Re | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529002032100 | LEDLinear-U 2-L600W90-13W-840-W-Re | 13 | 0.9 | 4000 | 950 | 73 | 110° | 30000 | 1000 |
| 529002032000 | LEDLinear-U 2-L600W90-13W-857-W-Re | 13 | 0.9 | 5700 | 950 | 73 | 110° | 30000 | 1000 |
| 529002032300 | LEDLinear-U 2-L1200W90-26W-840-W-Re | 26 | 0.9 | 4000 | 1900 | 73 | 110° | 30000 | 1000 |
| 529002032200 | LEDLinear-U 2-L1200W90-26W-857-W-Re | 26 | 0.9 | 5700 | 1900 | 73 | 110° | 30000 | 1000 |
| 529002031700 | LEDLinear-U 2-L600W150-18W-840-W-Re | 18 | 0.9 | 4000 | 1575 | 90 | 110° | 30000 | 1000 |
| 529002031600 | LEDLinear-U 2-L600W150-18W-857-W-Re | 18 | 0.9 | 5700 | 1575 | 90 | 110° | 30000 | 1000 |
| 529002031900 | LEDLinear-U 2-L1200W150-35W-840-W-Re | 35 | 0.9 | 4000 | 3150 | 90 | 110° | 30000 | 1000 |
| 529002031800 | LEDLinear-U 2-L1200W150-35W-857-W-Re | 35 | 0.9 | 5700 | 3150 | 90 | 110° | 30000 | 1000 |

| Technical Specification | |
|---------------------------|------------------------------------|
| On/Off Cycles | 20000 |
| Colour Consistency(SDCM) | 5 |
| Tunable | No |
| Housing Colour | White/Black |
| IP | IP20 |
| Driver integrated(Yes/No) | Yes |
| Glow wire test | 650°C |
| Installation | Suspended/Surface mounted/Recessed |

| Electrical Supply | |
|-------------------|------|
| Frequency (Hz) | 50 |
| Voltage (V) | 220V |
| AC / DC | AC |

| Mechanical and Finishing Properties | |
|-------------------------------------|----------|
| Housing Material | Aluminum |
| Optical Material | PS |

| Application Conditions | |
|------------------------|------------|
| Operating Temperature | -20°C-40°C |
| Storage Environment | -20-60°C |



Packaging Information



| Item | | Outer box | |
|--------------|--|---------------------------|--------------------------|
| Item Code | Item Description | Dimensions(mm) (LxWxH) | Packing Qty (pcs/CTN) |
| 529000030000 | LEDLinear-U 2- L1200W60-26W-840-W | 1270*440*225 | 16 |
| 529000029900 | LEDLinearU 2- L1200W60-26W-857-W | 1270*440*225 | 16 |
| 529000029800 | LEDLinear-U 2- L1200W60-26W-840-B | 1270*440*225 | 16 |
| 529000029700 | LEDLinear-U 2- L1200W60-26W-857-B | 1270*440*225 | 16 |
| 529000029600 | LEDLinear-U 2- L1200W80-26W-840-W | 1270*440*265 | 16 |
| 529000029500 | LEDLinear-U 2- L1200W80-26W-857-W | 1270*440*265 | 16 |
| 529000029400 | LEDLinear-U 2- L1200W80-26W-840-B | 1270*440*265 | 16 |
| 529000029300 | LEDLinear-U 2- L1200W80-26W-857-B | 1270*440*265 | 16 |
| 529000029200 | LEDLinear-U 2- L1200W100-26W-840-W | 1270*340*305 | 12 |
| 529000029100 | LEDLinear-U 2- L1200W100-26W-857-W | 1270*340*305 | 12 |
| 529000029000 | LEDLinear-U 2- L1200W100-26W-840-B | 1270*340*305 | 12 |
| 529000028900 | LEDLinear-U 2- L1200W100-26W-857-B | 1270*340*305 | 12 |
| 529000044500 | LEDLinear-U 2- L1200W100-35W-840-W | 1270*340*305 | 12 |
| 529000044400 | LEDLinear-U 2- L1200W100-35W-857-W | 1270*340*305 | 12 |
| 529000044200 | LEDLinear-U 2- L1200W100-35W-857-B | 1270*340*305 | 12 |
| 529000044300 | LEDLinear-U 2- L1200W100-35W-840-B | 1270*340*305 | 12 |
| 529000028800 | LEDLinear-U 2- L1200W120-35W-840-W | 1270*340*345 | 12 |
| 529000028700 | LEDLinear-U 2- L1200W120-35W-857-W | 1270*340*345 | 12 |
| 529000028600 | LEDLinear-U 2- L1200W120-35W-840-B | 1270*340*345 | 12 |
| 529000028500 | LEDLinear-U 2- L1200W120-35W-857-B | 1270*340*345 | 12 |
| 529000028400 | LEDLinear-U 2- L1200W150-35W-840-W | 1270*440*225 | 8 |
| 529000028300 | LEDLinear-U 2- L1200W150-35W-857-W | 1270*440*225 | 8 |
| 529000028200 | LEDLinear-U 2- L1200W150-35W-840-B | 1270*440*225 | 8 |
| 529000028100 | LEDLinear-U 2- L1200W150-35W-857-B | 1270*440*225 | 8 |
| 529000028000 | LEDLinear-U 2- L1200W200-35W-840-W | 1270*440*275 | 8 |
| 529000027900 | LEDLinear-U 2- L1200W200-35W-857-W | 1270*440*275 | 8 |
| 529000027800 | LEDLinear-U 2- L1200W200-35W-840-B | 1270*440*275 | 8 |
| 529000027700 | LEDLinear-U 2- L1200W200-35W-857-B | 1270*440*275 | 8 |
| 529002033700 | LEDLinear-U 2-L600W60-13W-840-W-Re-CONN2 | 710*265*245 | 12 |
| 529002033600 | LEDLinear-U 2-L600W60-13W-857-W-Re-CONN2 | 710*265*245 | 12 |
| 529002033900 | LEDLinear-U 2-L1200W60-26W-840-W-Re-CONN2 | 1310*265*245 | 12 |
| 529002033800 | LEDLinear-U 2-L1200W60-26W-857-W-Re-CONN2 | 1310*265*245 | 12 |
| 529002033300 | LEDLinear-U 2-L600W90-13W-840-W-Re-CONN2 | 710*265*305 | 12 |
| 529002033100 | LEDLinear-U 2-L600W90-13W-857-W-Re-CONN2 | 710*265*305 | 12 |
| 529002033500 | LEDLinear-U 2-L1200W90-26W-840-W-Re-CONN2 | 1310*265*305 | 12 |
| 529002033400 | LEDLinear-U 2-L1200W90-26W-857-W-Re-CONN2 | 1310*265*305 | 12 |
| 529002032900 | LEDLinear-U 2-L600W150-18W-840-W-Re-CONN2 | 710*265*425 | 12 |
| 529002032800 | LEDLinear-U 2-L600W150-18W-857-W-Re-CONN2 | 710*265*425 | 12 |
| 529002033200 | LEDLinear-U 2-L1200W150-35W-840-W-Re-CONN2 | 1310*265*220 | 6 |
| 529002033000 | LEDLinear-U 2-L1200W150-35W-857-W-Re-CONN2 | 1310*265*220 | 6 |
| 529002032500 | LEDLinear-U 2-L600W60-13W-840-W-Re | 710*265*245 | 12 |
| 529002032400 | LEDLinear-U 2-L600W60-13W-857-W-Re | 710*265*245 | 12 |
| 529002032700 | LEDLinear-U 2-L1200W60-26W-840-W-Re | 1310*265*245 | 12 |
| 529002032600 | LEDLinear-U 2-L1200W60-26W-857-W-Re | 1310*265*245 | 12 |
| 529002032100 | LEDLinear-U 2-L600W90-13W-840-W-Re | 710*265*305 | 12 |
| 529002032000 | LEDLinear-U 2-L600W90-13W-857-W-Re | 710*265*305 | 12 |
| 529002032300 | LEDLinear-U 2-L1200W90-26W-840-W-Re | 1310*265*305 | 12 |
| 529002032200 | LEDLinear-U 2-L1200W90-26W-857-W-Re | 1310*265*305 | 12 |
| 529002031700 | LEDLinear-U 2-L600W150-18W-840-W-Re | 710*265*425 | 12 |
| 529002031600 | LEDLinear-U 2-L600W150-18W-857-W-Re | 710*265*425 | 12 |
| 529002031900 | LEDLinear-U 2-L1200W150-35W-840-W-Re | 1310*265*220 | 6 |
| 529002031800 | LEDLinear-U 2-L1200W150-35W-857-W-Re | 1310*265*220 | 6 |

Accessory


| Accessories | | Packing Unit | | MOQ |
|--------------|---|---------------------------|--------------------------|-----|
| Item Code | Item Description | Dimensions(mm) (LxWxH) | Packing Qty (pcs/CTN) | |
| 529098010500 | LEDLinear-U 2 Suspended rope | 490*340*305 | 36 | 300 |
| 529098010300 | LEDLinear-U 2 W60 surface mounted clip | 520*350*245 | 80 | 300 |
| 529098010200 | LEDLinear-U 2 W80 surface mounted clip | 520*350*245 | 80 | 300 |
| 529098010100 | LEDLinear-U 2 W100 surface mounted clip | 520*350*245 | 80 | 300 |
| 529098010000 | LEDLinear-U 2 W120 surface mounted clip | 520*350*245 | 40 | 300 |
| 529098009900 | LEDLinear-U 2 W150 surface mounted clip | 520*350*245 | 40 | 300 |
| 529098009800 | LEDLinear-U 2 W200 surface mounted clip | 520*350*245 | 40 | 300 |
| 529098009700 | LEDLinear-U 2 middle connector | 520*350*245 | 80 | 300 |
| 529098009600 | LEDLinear-U 2 W60 L connector-W | 490*340*305 | 36 | 300 |
| 529098009500 | LEDLinear-U 2 W80 L connector-W | 490*340*305 | 36 | 300 |
| 529098009400 | LEDLinear-U 2 W100 L connector-W | 600*340*193 | 18 | 300 |
| 529098009300 | LEDLinear-U 2 W120 L connector-W | 600*340*193 | 18 | 300 |
| 529098009200 | LEDLinear-U 2 W150 L connector-W | 520*350*245 | 12 | 300 |
| 529098009100 | LEDLinear-U 2 W200 L connector-W | 620*340*295 | 12 | 300 |
| 529098012200 | LEDLinear-U 2 W60 X connector-W | 490*340*305 | 36 | 300 |
| 529098012100 | LEDLinear-U 2 W80 X connector-W | 600*340*193 | 36 | 300 |
| 529098012000 | LEDLinear-U 2 W100 X connector-W | 600*340*193 | 18 | 300 |
| 529098011900 | LEDLinear-U 2 W120 X connector-W | 520*350*245 | 18 | 300 |
| 529098011800 | LEDLinear-U 2 W150 X connector-W | 520*350*245 | 12 | 300 |
| 529098011700 | LEDLinear-U 2 W200 X connector-W | 620*340*295 | 12 | 300 |
| 529098009000 | LEDLinear-U 2 W60 Y connector-W | 490*340*305 | 36 | 300 |
| 529098008900 | LEDLinear-U 2 W80 Y connector-W | 490*340*305 | 36 | 300 |
| 529098008800 | LEDLinear-U 2 W100 Y connector-W | 600*340*193 | 18 | 300 |
| 529098008700 | LEDLinear-U 2 W120 Y connector-W | 600*340*193 | 18 | 300 |
| 529098008600 | LEDLinear-U 2 W150 Y connector-W | 520*350*245 | 12 | 300 |
| 529098008500 | LEDLinear-U 2 W200 Y connector-W | 620*340*295 | 12 | 300 |
| 529098008400 | LEDLinear-U 2 W60 L connector-B | 490*340*305 | 36 | 300 |
| 529098008300 | LEDLinear-U 2 W80 L connector-B | 490*340*305 | 36 | 300 |
| 529098008200 | LEDLinear-U 2 W100 L connector-B | 600*340*193 | 18 | 300 |
| 529098008100 | LEDLinear-U 2 W120 L connector-B | 600*340*193 | 18 | 300 |
| 529098008000 | LEDLinear-U 2 W150 L connector-B | 520*350*245 | 12 | 300 |
| 529098007900 | LEDLinear-U 2 W200 L connector-B | 620*340*295 | 12 | 300 |
| 529098011600 | LEDLinear-U 2 W60 X connector-B | 490*340*305 | 36 | 300 |
| 529098011500 | LEDLinear-U 2 W80 X connector-B | 600*340*193 | 36 | 300 |
| 529098011400 | LEDLinear-U 2 W100 X connector-B | 600*340*193 | 18 | 300 |
| 529098011300 | LEDLinear-U 2 W120 X connector-B | 520*350*245 | 18 | 300 |
| 529098011200 | LEDLinear-U 2 W150 X connector-B | 520*350*245 | 12 | 300 |
| 529098011100 | LEDLinear-U 2 W200 X connector-B | 620*340*295 | 12 | 300 |
| 529098007800 | LEDLinear-U 2 W60 Y connector-B | 490*340*305 | 36 | 300 |
| 529098007700 | LEDLinear-U 2 W80 Y connector-B | 490*340*305 | 36 | 300 |
| 529098007600 | LEDLinear-U 2 W100 Y connector-B | 600*340*193 | 18 | 300 |
| 529098007500 | LEDLinear-U 2 W120 Y connector-B | 600*340*193 | 18 | 300 |
| 529098007400 | LEDLinear-U 2 W150 Y connector-B | 520*350*245 | 12 | 300 |
| 529098007300 | LEDLinear-U 2 W200 Y connector-B | 620*340*295 | 12 | 300 |
| 529098027400 | LEDLinear-U 2 -L1000W60-Cover-Re | 660*660*335 | 4 | 300 |
| 529098027300 | LEDLinear-U 2 -L1000W90-Cover-Re | 660*660*335 | 3 | 300 |
| 529098027200 | LEDLinear-U 2 -L1000W150-Cover-Re | 660*660*335 | 2 | 300 |
| 529098027100 | LEDLinear-U 2 -W60-End Cap-Re | 370*300*205 | 160 | 300 |
| 529098027000 | LEDLinear-U 2 -W90-End Cap-Re | 380*330*265 | 160 | 300 |
| 529098026900 | LEDLinear-U 2 -W150-End Cap-Re | 370*300*205 | 80 | 300 |

Dimensional Drawing


| Model | L(mm) | W(mm) | H(mm) |
|---------------------------|-------|-------|-------|
| LEDLinear-U2-L1200W60-SP | 1200 | 60 | 40 |
| LEDLinear-U2-L1200W80-SP | 1200 | 80 | 40 |
| LEDLinear-U2-L1200W100-SP | 1200 | 100 | 40 |
| LEDLinear-U2-L1200W120-SP | 1200 | 120 | 40 |
| LEDLinear-U2-L1200W150-SP | 1200 | 150 | 40 |
| LEDLinear-U2-L1200W200-SP | 1200 | 200 | 40 |
| LEDLinear-U2-L600W60-Re | 616 | 80 | 33 |
| LEDLinear-U2-L600W90-Re | 616 | 110 | 33 |
| LEDLinear-U2-L600W150-Re | 616 | 170 | 33 |
| LEDLinear-U2-L1200W60-Re | 1216 | 80 | 33 |
| LEDLinear-U2-L1200W90-Re | 1216 | 110 | 33 |
| LEDLinear-U2-L1200W150-Re | 1216 | 170 | 33 |




W60 26W SP



W80 26W SP



W100 26W SP



W100 35W SP

OPPLE SHANGHAI OFFICE
 Building V3, The Mixc, 1799 Wuzhong Road,
 Minhang District, Shanghai, China
 ZIP: 201103
T + 86 21 3855 0000
E intersales@opple.com

WWW.OPPLE.COM/EN